

ASSIGNMENT 7

Textbook Assignment: "Automated Supply Support," chapter 7, pages 7-1 through 7-23.

- 7-1. Which of the following items is commonly used as an input device in an automated supply support organization?
1. Database
 2. Magnetic disks
 3. Personal computers
 4. Software
- 7-2. Which of the following components of the computer system is known as the brain?
1. Magnetic disks
 2. Mainframe
 3. Printers
 4. Cathode-ray tube
- 7-3. The naval aviation logistics command management information system (NALCOMIS) provides automated procedures for which of the following programs?
1. B08
 2. SARDIP
 3. RILOP
 4. NAMP
- 7-4. Which of the following information is identified whenever a password is entered into the NALCOMIS computer?
1. The user that is signing on
 2. The user's organization and work center
 3. The user's special maintenance qualification
 4. All of the above
- 7-5. The passwords in each NALCOMIS site are maintained by the
1. CO
 2. SUPO
 3. DBA
 4. ACC
- 7-6. The NALCOMIS database is composed of which of the following data elements?
1. Dynamic and static
 2. Dynamic only
 3. Static only
 4. Unidirectional
- 7-7. Which of the following NALCOMIS information is a static data element?
1. Requisition status
 2. Type equipment code
 3. Location number
 4. Project code of a requisition
- 7-8. The information output from NALCOMIS may be produced in which of the following formats?
1. Screen display
 2. Hardcopy notices/reports
 3. Magnetic tapes and disks
 4. All of the above
- 7-9. The supply response section of the Aviation Support Division is composed of how many organizational units?
1. 1
 2. 2
 3. 3
 4. 5
- 7-10. Which of the following units is NOT under the component control section?
1. Supply screening
 2. Pre-expended bin
 3. Document control
 4. Awaiting parts
- 7-11. To ensure the Not Mission Capable Supply/Partial Mission Capable Supply (NMCS/PMCS) information is updated, the listing is prepared and validated at least how often?
1. Daily
 2. Weekly
 3. Monthly
 4. Quarterly
- 7-12. How often should a copy of the awaiting parts requisition status listing be provided to the intermediate maintenance activity?
1. Quarterly
 2. Monthly
 3. Weekly
 4. Daily

- 7-13. Which of the following listings is used to verify the maintenance activity's repair capability of an item?
1. CRPL
 2. AUOL
 3. ICRL
 4. IMRL
- 7-14. The Phase Maintenance Kit program may be established in an ASD when authorized by which of the following individuals/offices?
1. NAVICP
 2. TYCOM
 3. NAVAIRSYSCOM
 4. NAVCOMPT
- 7-15. Which of the following NALCOMIS conversation codes is used to verify requisition status?
1. N668
 2. N648
 3. N638
 4. N628
- 7-16. Conversation code N610 is used to perform which of the following functions?
1. Input the NIIN being issued
 2. Enter the quantity being issued
 3. Both 1 and 2 above
 4. Change the document number
- 7-17. Which of the following conversation codes is used to complete the issue transaction by using the information from the signed copy of the proof of delivery?
1. N601
 2. N608
 3. N610
 4. N615
- 7-18. Requisitions with OFISS status due to discrepancy in the quantity are cleared by using which of the following conversation codes?
1. N655 and N652
 2. N668 and N610
 3. N662 and N601
 4. N695 and N666
- 7-19. The conversation code N689 provides which of the following information?
1. The current assets in suspense status
 2. The subcustody information of repairable items
 3. The status of a selected requisition
 4. All requisitions that are NIS or NC
- 7-20. After the requisition is processed for referral in conversation code N610, the status code on conversation N668 inquiry should read
1. NC
 2. BB
 3. BM
 4. CA
- 7-21. Which of the following conversation codes will decrease the ready for issue (RFI) on-hand quantity and increase the SOIOU quantity when processed as issue?
1. N600
 2. N601
 3. N613
 4. N637
- 7-22. Repairable turn-ins in not ready for issue (NRFI) condition are inducted to the IMA repair cycle by which of the following units?
1. SSU
 2. DCU
 3. AMSU
 4. MDU
- 7-23. Which of the following conversation codes is used to process the return of a component from the repair cycle to supply?
1. N621
 2. N644
 3. N651
 4. N668
- 7-24. The repairable turn-in for an issue transaction is repaired and returned to stock in ASD. When there are no outstanding requirements after processing in conversation code N621, NALCOMIS will generate which of the following items/notices?
1. Divert to other customer notice
 2. Stow hardcopy notice
 3. DD Form 1348-1 shipping document
 4. AOA notice

- 7-25. The EXREP repairable turn-in is returned as BCM from IMA and processed in conversation code N621. Which of the following status codes will be assigned after processing?
1. COMPL
 2. EXREP
 3. ISSIP
 4. REFER
- 7-26. How does processing the return of components from the repair cycle in conversation code N621 affect the DIFM quantity counter?
1. Decrease the counter
 2. Increase the counter
 3. Does not affect the counter
 4. Bypass the counter
- 7-27. Which of the following procedures is performed when conversation code N621 for stock asset is processed for BCM?
1. Stock replenishment is performed
 2. The DD Form 1348-1 MRIL shipping document is printed
 3. The conversation code N671 will display stock due
 4. All of the above
- 7-28. Which of the following units of ASD is responsible for processing consumable issues from stock in conversation code N615?
1. DCU
 2. RCU
 3. MDU
 4. TRU
- 7-29. Requisitions that are confirmed as warehouse refusal are processed by using which of the following conversation codes?
1. N684
 2. N671
 3. N637
 4. N628
- 7-30. Which of the following actions is taken if an RFI item is returned to supply because a piece of erroneous material is issued?
1. Ship the material to the designated repair point
 2. Return the material to the original location
 3. Process the item as survey
 4. Induct the item as EXREP
- 7-31. Which of the following conversation codes is used to review the stock posture of repairable assets when performing inventory adjustments?
1. N677
 2. N661
 3. N626
 4. N610
- 7-32. Which of the following actions should be performed to process the loss by inventory of repairable components?
1. Transfer to end-user
 2. Issue
 3. Survey
 4. OSO transfer
- 7-33. Gain by inventory transactions can be posted by using which of the following conversation codes?
1. N630
 2. N633
 3. N643
 4. N651
- 7-34. How does material returned to stock and processed in conversation code N633 affect the quantity counters?
1. Decreases the RFI and increases the suspense
 2. Decreases the SOIOU and increases the suspense
 3. Decreases the suspense and increases the RFI
 4. Decreases the DIFM and decreases the suspense
- 7-35. Survey transactions are processed in NALCOMIS only when which of the following items or information is received?
1. Verbal authorization
 2. Signed copy of DD Form 1348-1
 3. Initial investigation results
 4. Approved DD Form 200
- 7-36. Which of the following conversation codes is used to process the survey document received from the customer submitting a requisition with a 5A advice code?
1. N635
 2. N636
 3. N638
 4. N641

- 7-37. Material lost in shipment is initially processed in which of the following conversation codes?
1. N604
 2. N610
 3. N613
 4. N618
- 7-38. Surveys of stock material that are determined as lost in shipment is recorded using conversation code
1. N637
 2. N639
 3. N642
 4. N648
- 7-39. Processing of which of the following conversation codes will decrease the RFI counter and increase the subcustody counter?
1. N603
 2. N610
 3. N622
 4. N623
- 7-40. If the component that is returned from subcustody is NRFI, a work request MAF can be initiated by using conversation code
1. N644
 2. N616
 3. N252
 4. N245
- 7-41. Which of the following units of ASD is responsible for reviewing and correcting the material report (MR) of consumable items?
1. RCU
 2. PMU
 3. TRU
 4. DCU
- 7-42. Erroneous commercial and government entity (CAGE) and part numbers that were submitted on a requisition can be corrected by using which of the following conversation codes?
1. N226
 2. N604
 3. N610
 4. N618
- 7-43. The CAGE and part number of an item are added to the NALCOMIS database by using which of the following conversation codes?
1. N656
 2. N641
 3. N636
 4. N613
- 7-44. A national stock number (NSN) can be added to the database by using which of the following conversation codes?
1. N616
 2. N630
 3. N641
 4. N650
- 7-45. Requisitions with the status of OFVAL is cleared out of the queue by using which of the following conversation codes?
1. N604
 2. N614
 3. N632
 4. N635
- 7-46. The PMU is responsible for processing the receipt on board (ROB) of high priority requisitions in which of the following conversation codes?
1. N608
 2. N610
 3. N613
 4. N633
- 7-47. Which of the following units of an ASD is responsible for submitting the copy of a warehouse refusal requisition to the RCU?
1. SSU
 2. MDU
 3. TRU
 4. DCU
- 7-48. Material can be routinely included in the pre-expended bin (PEE) if they meet which of the following criteria?
1. The unit price is over \$150
 2. The item has a demand frequency of one a month
 3. The item has a demand frequency of at least three a month
 4. The material is an allowance item
- 7-49. Eligible material with unit costs over \$150 can be included in the PEB when authorized by which of the following officials?
1. SUPO
 2. CO
 3. TYCOM
 4. CNO

- 7-50. When a requisitioned repairable item is not in stock, what status will be revealed when conversation code N668 is inquired?
1. COMPL
 2. OFVAL
 3. REFER
 4. ERIOU
- 7-51. What conversation code is used by a component control section to process the return of components from the IMA repair cycle?
1. N621
 2. N610
 3. N601
 4. N251
- 7-52. To check the detail of the repairable item that was inducted in the repair cycle, you should use which of the following conversation codes?
1. N653
 2. N661
 3. N675
 4. N679
- 7-53. Which of the following conversation codes will display all the outstanding requisitions for a particular NIIN?
1. N669
 2. N679
 3. N703
 4. N812
- 7-54. An RFI item returned from the repair cycle and issued to an outstanding requisition will have which of the following results?
1. The DD Form 1348-1 issue document will be printed
 2. The supply interface records will be created
 3. The supply status codes will be ISSIP, ISSER, or ISSMA
 4. All of the above
- 7-55. The procedures for disposing of repairable aircraft tires are found in which of the following instructions?
1. FASOINST 4440.85
 2. FASOINST 13490.3
 3. OPNAVINST 3750.6
 4. OPNAVINST 4441.12
- 7-56. Repairable items that require serial number control are established by using which of the following conversation codes?
1. N610
 2. N629
 3. N666
 4. N675
- 7-57. To determine the condition of a repairable stock asset that is missing, the condition tag can be inducted on a work request in which of the following conversation codes?
1. N213
 2. N245
 3. N280
 4. N651
- 7-58. When the material requisitioned is a part of a matched set or for an initial issue, which of the following local status codes is assigned?
1. OFFMP
 2. ISSER
 3. PARTR
 4. RCANC
- 7-59. When computing the fixed allowance, the total average turn-around time is limited to a maximum of how many constrained days?
1. 5
 2. 7
 3. 10
 4. 20
- 7-60. Which of the following conversation codes is used to transpose repair parts from one awaiting parts (AWP) component to another?
1. N250
 2. N613
 3. N648
 4. N661